





## MODERNITY + DESIGN

Starline is the result of hard work and years of experience in manufacturing reverse osmosis equipment for domestic use. The best design, the best materials and the best configuration of elements make this machine one of the most modern in the market.

## Water is health

Water is good for the human body and for your health. So ideally is to drink it, is free from harmful substances. Starline reduces almost 100% of substances as microorganisms, heavy metals, pesticides, etc. And only remains what you want: authentic pure quality water.

#### Pure water

Reverse osmosis is the most effective method of water purification. Starline has a perfect technology. Your system with storage tank always gives 100% purified water. In addition, the unit is equipped with LEDs that will tell you if water quality decreases with respect to the preset level.

### Taste 100%

The osmotic water is ideal not only for drinking, also for cooking, as allows food to retain their properties and nutrients as well as all flavor. Boil pasta, take a coffee or wash vegetables or fruits with water from Starline and explore new dimensions at your kitchen.

#### Drinking water should be easy

Bottles and bottles are heavy and take up space. The solution is to install Starline. You will get healthy home water. Savings and convenience. Open the doors of your home to a new lifestyle easier and healthier.





#### THE NEW GENERATION OF TAPS

The range of Metalfree taps is the best solution for your kitchen. its technology advanced, unique in the market, developed by our R + D, is capable of preventing the migration of heavy metals into the water. The Metalfree faucets, Included as standard on all our equipment, are provided with an inner sheath food made of plastic, which prevents the water may be contaminated with substances such as cadmium, brass or chrome and always leave with maximum purity and quality.





Ecological Control system for a reduced consumption



Metal free Minimizes the metallic particles in the water



**Aquastop** Automatic leak detector



Logical Funcional according each application



Green Filter CS postfilter Easy installation and maintenance



Reliable connectors Maximum security accesories



x2

-) **(**-

Flushing ready Quick installation of auto-flushing valve

Security system for

connections

Double flow

Great treated

Filter control

Automatic warning

for filters changing

Quality carbon

Certified carbon.

UNE-EN 12915-1

Pressure pump

Insert

Higher production flow

water flow



Quality control Treated water quality control



Filmtec membrane Original membrane



Solenoid valve High security valve



Electronic adapter External transformer



CS filters Maximum security and easy maintenance filters



**Clicks** Security lock

# **TECHNICAL SPECIFICATIONS**

DIMENSIONS (height x width x depth): 430 x 250 x 400 mm. WEIGHT: 14 Kg. FEED TEMPERATURE (max / min): 40°C / 2°C. FEED TDS (max): 2000\*\* ppm. FEED HARDNESS (max): 15° HF FEED PRESSURE (max / min): 2,5 / 1 bar (250-100kPa). MEMBRANE: Type 1 x 1812 75 GPD. Membrane production: 75 LPD \* Soft water with 250 ppm. T: 25°C. 15% conversion. Membrane pressure: 3,4 bar. PUMP: Booster with reinforced diaphragm. MAX ACCUMULATION: Presurized tank. 6 I. POWER SUPPLY: 24Vdc. 30W ADAPTOR: 100-240V. 50/60Hz. 24Vdc.



